



PRODUCT CATALOGUE 2023

www.nhfishing.cn
18763123151



About us

Thank you for visiting Weihai NH New Material Technology Co.Ltd, which has a long history of fishing tackle OEM processing more than 15 years and set up its own factory in 2015.

As a result of satisfaction of many customers with high quality and affordable prices , NH was selected as one of the top export company in 2018. NH is confident that it can satisfy the customer's need because of its high level technology and development in accordance with global market trends.

In the future , we would constantly strive to become the best fishing company with endless development. NH will continuously invest R&D, engineering and facility to meet fast growing fishing market trend and expectation of customers. We are seeking for more opportunities to grow our business and welcome for all the communications to cooperation.

Fishing Rod Production Line



TACKLE BOX & ACCESSORIES



EGI/SQUID JIGS/METAL JIGS



EGI Squid Jigs

1.5# 2.0# 2.5# 3.0#

Luminous PVC Metal Jigs

8# 10# 12# 14# 16# 20#
25# 30# 35# 40# 45# 50#

Metal Jigs.

230g 280g

TIE-RUBBER HEADS.

40g 50g 60g 70g 80g
100g 120g 150g 180g 200g

S862ML INSHORE ROD

A01



	Model	Length (m)	Section	Top Dia (mm)	Butt Dia (mm)	Lure Weight (g)	PE Line	Rod Weight	Carbon (%)
A01	2.58	1.33	2	1.9	11.6	8-30	0.8-1.5	113	98

S832M/ S832ML EGING ROD

A02



A03



	Model	Length	Section	Top Dia	Butt Dia	Lure Weight	PE Line	Rod Weight	Carbon
		(m)		(mm)	(mm)	(g)			(%)
A02	2.51	1.25	2	1.5	13.4	EGI1.5-3.5	0.5-1.0	110	98
A03	2.51	1.29	2	1.8	10.6	30-150	0.5-1.0	105	98

S762 /S792 2 TOPS ROCKFISH ROD

A04



A05



	Model	Length	Section	Top Dia	Butt Dia	Lure Weight	PE Line	Rod Weight	Carbon
		(m)		(mm)	(mm)	(g)			(%)
A04	2.30	1.20	2	1.0	11.4	1-10	0.5-1.0	126	98
A05	2.37	1.22	2	1.0	11.5	1-10	0.5-1.0	134	98

NH NEW PRODUCT 150 /160



	Model	Length (m)	Section	Top Dia (mm)	Butt Dia (mm)	Lure Weight (g)	PE Line	Rod Weight	Carbon (%)
A06	150	1.50	2	1.0	8.0	30-120	0.6-1.2	84	98
A07	160	1.60	2	1.0	8.0	30-120	0.6-1.2	75	98

TITANNIUM TIPS 140 /150



	Model	Length (m)	Section	Top Dia (mm)	Butt Dia (mm)	Lure Weight (g)	PE Line	Rod Weight	Carbon (%)
A08	1.40	1.40	1	1.0	7.2	Max150	0.6-1.0	70.0	98
A09	1.50	1.50	1	1.0	7.0	Max150	0.6-1.0	73.5	98

551 JIGGING ROD



	Model	Length (m)	Section	Top Dia (mm)	Butt Dia (mm)	Lure Weight (g)	PE Line	Rod Weight	Carbon (%)
A10	C551ML	1.65	1	3.0	9.0	60-200	4.0	235	98

FEEDER ROD



	Model	Length (m)	C.Length (m)	Section	Top Dia (mm)	Butt Dia (mm)	Lure Weight (g)	Rod Weight	Carbon (%)
A11	10ft	3.0	1.55	2	1.5	12.5	60	210	98
A11	11ft	3.3	1.70	2	1.5	12.8	70	223	98
A11	12ft	3.6	1.84	2	1.5	15.0	100	256	98
A11	13 ft	3.9	1.35	2	1.5	15.5	130	325	98

S832 POPPING ROD

A12



	Model	Length (m)	Section	Top Dia (mm)	Butt Dia (mm)	Lure Weight (g)	PE Line	Rod Weight	Carbon (%)
A12	2.52	1.84	2	3.0	17.0	Max 36	4.0-5.0	428	98

CARBON SOLID JIGGING ROD

A13



A14



	Model	Length (m)	Section	Top Dia (mm)	Butt Dia (mm)	Lure Weight (g)	PE Line	Rod Weight	Carbon (%)
A13	C180	1.8	2	1.8	14.8	40-60	1.0-2.5	139	98
A14	S180	1.8	2	2.0	14.8	40-60	1.0-2.5	152	98

ISO ROD

A15



	Model	Length (m)	Section	Top Dia (mm)	Butt Dia (mm)	Lure Weight (호)	PE Line	Rod Weight	Carbon (%)
A15	1.0-500	1.12	5	1.0	17.0	1.0-5.0	1.5-5.0	200	98
A15	1.7-500	1.12	5	1.0	17.0	1.0-5.0	1.5-5.0	230	98

SURF ROD with LED LIGHT

A16



A16



	Model	Length (m)	CLength (m)	Section	Top Dia (mm)	Butt Dia (mm)	Rod Weight	Carbon (%)
A16	4204	4.20	1.16	4	3.1	20.9	462	98
A16	4504	4.50	1.23	4	3.1	20.9	477	98
A16	5005	5.00	1.15	5	3.1	24.2	541	98
A16	5305	5.30	1.18	5	3.1	25.0	586	98



水滴轮-001

重量	速比	刹车力	线容量
200g	6:4:1	5kg	8lbs/210yds 12lbs/165yds 15lbs/155yds



水滴轮 -002

重量	速比	轴承数	刹车力	线容量
193g	6:4:1	10+1	10kg	6lbs/200yds 9lbs/160yds 12lbs/140yds



水滴轮-003

重量	速比	材质	刹车力	线容量
155g	8.1:1	Aluminum alloy	10kg	0.205/140 0.235/105 0.250/195



水滴轮-004

重量	速比	轴承数	刹车力	线容量
200g	7.0:1	10+1	10kg	12lbs/100yds



水滴轮-005

重量	速比	轴承数	刹车力	线容量
211g	7.3:1	11+1	8kg	0.33/100 0.38/90



水滴轮-006

重量	速比	轴承数	刹车力	线容量
165g	4.8: 1 5.3: 1 6:4: 1 7:2: 1	6+1	10kg	0.205/140 0.235/105 0.250 / 95



水滴轮-007

重量	速比	轴承数	刹车力	线容量 (mm/m)
217g	8.0:1	6+1	5kg	0.28/150 0.33/115



纺车轮-001

重量	速比	轴承数	刹车力	线容量 (mm/m)
253g	5.2: 1	8+1	8kg	0.2/75



纺车轮-002

重量	速比	轴承数	刹车力	线容量 (mm/m)
281g	5.2:1	3+1	5kg	0.3/195 0.35/145 0.4/110



纺车轮-003

重量	速比	轴承数	刹车力	线容量
437g	6.2: 1	8+1	13kg	8lb/300yds 10lb/250yds 12lb/185yds



纺车轮-004

重量	速比	轴承数	刹车力	线容量 (mm/m)
217g	5.2:1	7+1	18kg	8/100 10/115 12/110



纺车轮-005

重量	速比	轴承数	刹车力	线容量 (mm/m)
246g	5.2: 1	7+1	8kg	0.2/230 0.23/170 0.28/110